




CAR Bearing manufacturing Co.,Ltd



NSK 53216 thrust ball bearings

Bearing No. 53216

Size	80x115x29.5 mm
Bore Diameter	80 mm
Outer Diameter	115 mm
Width	29,5 mm
d	80 mm
D	115 mm
T	29,5 mm
d1	115 mm
r min.	1 mm
A	46 mm
D1	82 mm
R	90 mm
da min.	101 mm
Da max.	94 mm
ra max.	1 mm
Weight	1,01 Kg
Basic dynamic load rating (C)	79 kN
Basic static load rating (C0)	218 kN
(Grease) Lubrication Speed	1800 r/min
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.22
Product Group	B00308
Rolling Element	Ball Bearing

53216 Bearing 2D drawings and 3D CAD models



CAR Bearing manufacturing Co.,Ltd

Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	Non-Precision
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Aligning Seat
Long Description	80MM Bore 1; 82MM Bore 2; 115MM Outside Diameter; 30MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; Non-Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	53216
Weight / LBS	2.22667
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 2	3.228 Inch 82 Millimeter
Outside Diameter	4.528 Inch 115 Millimeter
Height	1.181 Inch 30 Millimeter
Bore 1	3.15 Inch 80 Millimeter
SRI	6.85
hidYobi	53216
LangID	1
D_	115



CAR Bearing manufacturing Co.,Ltd

SREX	0.05
C	79
B_	29.5
hidTable	ecat_NSSDTB
Oil rpm	2600
SRE	6.85
mass	1.01
GRS rpm	1800
ra	1
SRIX	0.05
D_a	94
SRIN	0
C0	218
SREN	0
D_1	82
Prod_Type3	TB_SD_WAS
da	101
DA_	12.7
Z_	22
yobi	53216
A_	46
T3	29.5
SDM_	97.5
r	1
KBRG	5121
R_	90